

Work Order ID 83905

83905

Page 1

April-27-12 11:16:49 AM

Item ID: D4435-043 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Mount Bracket Assembly
 Start Date: 27/04/2012 Start Qty: 4.00 *4* Cust Item ID:
 Required Date: 11/05/2012 Req'd Qty: 4.00 *4* Customer:
 Reference:

Approvals: Process Plan: ULJ Date: 12/04/27 Tooling: Date: Run Start *NR1*
 QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D4435	B					(15)			
100		0.00							
100	FLOW WATER JET								
Waterjet	Memo	0.00							B 12-5-19
FLOW CNC Waterjet	1-Cut D4435-3 as per Dwg								
6061 .0240	Dwg Rev: <u>B</u>								
	Prog Rev: <u>B</u>								
	2-Deburr if necessary								
110		0.00							
110	QC2- Inspect parts off machine FAI/FAIB								
QC	Memo	0.00							B 12-5-19
Quality Control									
120		0.00							
120	QC8- Inspect parts - second check								
QC	Memo	0.00							S 12/6/12
Quality Control						(X)			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 83905

83905

Page 2

April-27-12 11:16:49 AM

Item ID: D4435-043

Accept

N9000040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Mount Bracket Assembly

Start Date: 27/04/2012 Start Qty: 4.00

4

Cust Item ID:

Required Date: 11/05/2012 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

130 Chemical Conversion Coat per QSI005 4.1

0.00

130

HandFinish

Memo

0.00

Hand Finishing

157612-5-23

135 QC7-Inspect Chemical Conversion Coat

0.00

135

QC

Memo

0.00

Quality Control

15X ✓

mt
12/05/24

140 Black Sandtex(Ref:4.3.5.7) per QSI005 4.3

0.00

140

Powdercoat

Memo

0.00

Powder Coating

START TIME:

OVEN TEMPERATURE:

FINISH TIME:

8:00
320 °F
8:30

15X ✓

mt
12/05/24

M117338

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 83905

83905

Page 3

April-27-12 11:16:49 AM

Item ID: D4435-043 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Mount Bracket Assembly
 Start Date: 27/04/2012 Start Qty: 4.00 *4* Cust Item ID:
 Required Date: 11/05/2012 Req'd Qty: 4.00 *4* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	QC3- Inspect Part Finish	0.00							
150						15.1	6	11/05/28	
QC	Memo	0.00							
Quality Control									
160		0.00							
160									
Small Fab	Memo	0.00							
Small Fab	1- Cut rubber seal at 3.70" 2-Glue rubber seal to bracket as per dwg (SHEET 1, NOTE 8)								SS 12/08/22
170	QC5- Inspect part completeness to step on W/O	0.00							
170									
QC	Memo	0.00							
Quality Control									

DAS
16

Smb
12-8-23

12/09/23

15

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 83905

83905

Page 4

April-27-12 11:16:49 AM

Item ID: D4435-043

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Mount Bracket Assembly

Start Date: 27/04/2012 Start Qty: 4.00

4

Cust Item ID:

Required Date: 11/05/2012 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
190 *190* Packaging Packaging	Identify as per dwg & Stock Location: <u>109</u> Memo	0.00 0.00		<u>sl</u>		<u>15x</u>	<u>SL</u>	<u>12/8/23</u>	
200 *200* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.00						<u>MLJ 12/08/24</u> <u>WVF</u> <u>12-08-23</u>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

April-27-12 11:16:53 AM

Page 1

Work Order ID: 83905

83905

Parent Item: D4435-043

D4435-043

Parent Item Name: Mount Bracket Assembly

Start Date: 27/04/2012

Required Date: 11/05/2012

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP REV:A 11.10.05 NEW ISSUE DD VERF:EC
12.03.06 AS PER DWG REV.B DD VERF:EC

IPP REV:B

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6S.040		Purchased		No		100	sf	348.0278	0.049	0.206316	1,		
M6061T6S 040													
6061-T6 .040 Sheet													

**

B12-5-K

Location	Loc Qty	Loc Code
MAT021	348.0278	
121030	77.5278	
121099	270.5	

121030

15

D4441-1

Manufactured No

160 f

63.7986 0.308

1.232

**

SB 12/08/22

D4441-1

Rubber Seal

Location	Loc Qty	Loc Code
prelim	6.739	
74760	6.739	
ST413	57.0596	
79385	49.8636	
80763	7.196	

1.3

D4441-1-037

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

ITEM	QTY -041	PART NUMBER	DESCRIPTION
1	X	D4435-041	BRACKET ASSEMBLY
2	1	D4435-1	BRACKET
3	1	D4441-1-035	RUBBER SEAL
4	A/R	3M 1300/1300L	ADHESIVE



D4435-041 BRACKET ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.04 lbs
- 8) GLUE RUBBER SEAL TO BRACKET EDGE USING 3M 1300/1300L ADHESIVE, EXCEPT 0.7" FROM EACH END. ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 83905 MLJ

12/04/27

RELEASED
R 2012-03-02

B	ADD A HOLE TO D4435-9F (ZN C7-11)	RF	12.01.27
A	NEW ISSUE	RF	12.01.17
REV	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>140</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>E</i>	D4435	SHEET 1 OF 11
APPROVED	<i>149</i>	TITLE	SCALE
DE APPR.	<i>H</i>	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESSED CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

ITEM	QTY -043	PART NUMBER	DESCRIPTION
1	X	D4435-043	MOUNT BRACKET ASSEMBLY
2	1	D4435-3	BRACKET
3	1	D4441-1-037	RUBBER SEAL
4	A/R	3M 1300/1300L	ADHESIVE



D4435-043 BRACKET ASSEMBLY



RELEASED
2012-03-02

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.04 lbs
- 8) GLUE RUBBER SEAL TO BRACKET EDGE USING 3M 1300/1300L ADHESIVE, EXCEPT 1.0" FROM EACH END. ENSURE BRACKET IS COMPLETELY INSERTED INTO GROOVE OF RUBBER SEAL

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	RF	DRAWING NO.	REV. B
MFG. APPR.	RF	D4435	SHEET 2 OF 11
APPROVED	RF	TITLE	SCALE
DE APPR.	RF	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL. IT IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COME IN CONTACT WITH ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

ITEM	QTY -045	PART NUMBER	DESCRIPTION
1	X	D4435-045	T/R BELLCRANK COVER ASSEMBLY
2	1	D4435-5	MOUNT BRACKET
3	1	D4435-7	BRACKET
4	4	MS20426AD3-2	RIVET
5	4	MS20470AD4-3	RIVET
6	1	MS21059L3	NUT PLATE
7	1	MS21062L3	NUT PLATE



83905


D4435-045 T/R BELLCRANK COVER ASSEMBLY

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT "BLACK SANDTEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.371 lbs
- 8) INSTALL D4435-5 BRACKET SURFACE FLUSH WITH THIS EDGE
- 9) TRANSFER $\varnothing 0.129$ HOLES FROM D4435-5 MOUNT BRACKET INTO D4435-7 BRACKET

RELEASED
2012-03-02
JW

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	140	DRAWING NO.	REV. B
MFG. APPR.	E	D4435	SHEET 3 OF 11
APPROVED	140	TITLE	SCALE
DE APPR.	140	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	




D4435-1 BRACKET

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "BLACK SANDEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.02 lbs

RELEASED
2012-03-02

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>RF</i>	DRAWING NO. D4435	REV. B
MFG. APPR.	<i>RF</i>	SHEET 4 OF 11	
APPROVED	<i>RF</i>	TITLE BRACKET	SCALE
DE APPR.	<i>RF</i>	NTS	
DATE	12.01.27	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	



D4435-3 BRACKET




NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "BLACK SANDEX" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.023 lbs

DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>140</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>E</i>	D4435	SHEET 5 OF 11
APPROVED	<i>140</i>	TITLE	SCALE
DE APPR.	<i>140</i>	BRACKET	NTS
DATE	12.01.27	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR DISCLOSED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

RELEASED
2012-03-02
MD

835 05



83905

D4435-5 MOUNT BRACKET


NOTES:

- 1) MATERIAL: MAKE FROM D4435-5F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.08 lbs



DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>MP</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>CE</i>	D4435	SHEET 6 OF 11
APPROVED	<i>MP</i>	TITLE	SCALE
DE APPR.	<i>MP</i>	BRACKET	NTS
DATE	12.01.27	<small> COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS UNDERSTANDING THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD. </small>	

RELEASED
2012-03-02
JMP

83905



D4435-7 BRACKET




83905

2012-03-02


NOTES:

- 1) MATERIAL: MAKE FROM D4435-7F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.29 lbs


DESIGN	RF	DART AEROSPACE LTD	
DRAWN	RF	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4435	SHEET 8 OF 11
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET	NTS
DATE	12.01.27	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	



DETAIL A
SCALE 2X B5-9



DETAIL B
SCALE 2X B3-9



D4435-7F FLAT PATTERN


NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.29 lbs



DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	140	DRAWING NO.	REV. B
MFG. APPR.	E	D4435	SHEET 9 OF 11
APPROVED	140	TITLE	SCALE
DE APPR.	140	BRACKET	NTS
DATE	12.01.27	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE REPRODUCED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

93905

RELEASED
2012-03-02



83905



D4435-9 BRACKET


RELEASED
2012-03-02
JMD

NOTES:

- 1) MATERIAL: MAKE FROM D4435-9F FLAT PATTERN
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT "BLACK SANDEXT" (4.3.5.7) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	140	DRAWING NO.	REV. B
MFG. APPR.	EE	D4435	SHEET 10 OF 11
APPROVED	140	TITLE	SCALE
DE APPR.	J	BRACKET	NTS
DATE	12.01.27	<small>COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

83905



D4435-9F FLAT PATTERN

RELEASED
2012-03-02
JMT

NOTES:

- 1) MATERIAL: 6061-T6/T62 ALUMINUM SHEET 0.040 THICK
PER QQ-A-250/11 OR AMS-QQ-A-250/11
OR AMS 4025 OR AMS 4027
OR ASTM B209
REF DART SPEC. M6061T6S.040
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.01 lbs

DESIGN	RF	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	RF		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. B
MFG. APPR.	<i>[Signature]</i>	D4435	SHEET 11 OF 11
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	BRACKET	NTS
DATE	12.01.27	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

